

SDS Number: 70190 Version 2.1 Revision Date: 09/15/19

SECTION 1. IDENTIFICATION

Product name BacStop™ Product code 70190

Manufacturer or supplier's details

EDMAR CHEMICAL COMPANY Company

539 East Washington Street

P.O. Box 598

Chagrin Falls, OH 44022-0598

E-mail address Info@EdmarChem.com

Emergency telephone number For US only CHEMTREC 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use Cleaning/washing agents and disinfectants

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) Category 4

Skin corrosion Category 1B

Eve irritation Category 2A

GHS Label element

Hazard pictograms







Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Prevention: Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.



BacStop™

Version 2.1 SDS Number: 70190 Revision Date: 09/15/19

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel un-

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Didecyldimethylammonium chloride	7173-51-5	50.00
Ethanol	64-17-5	10.00
Water	7732-18-5	40.00

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

Call a physician immediately.

If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : After contact with skin, wash immediately with plenty of soap and

water.

Call a physician immediately.

Take off all contaminated clothing immediately. Immediately flush eye(s) with plenty of water.

In case of eye contact : Immediately flush eye(s) with Call a physician immediately.

rsician immediately.



BacStop™

Version 2.1 SDS Number: 70190 Revision Date: 09/15/19

If swallowed : Call a physician immediately.

Clean mouth with water and drink afterwards plenty of water.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Dry powder

Water spray

Foam

Specific hazards during firefighting : Heating or fire can release toxic gas.

Further information : Use water spray to cool unopened containers.

Special protective equipment for

firefighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency proce-

dures

Use respirator when performing operations involving potential ex-

posure to vapor of the product.

Environmental precautions

General advice : Do not flush into surface water or sanitary sewer system.

Methods and materials for contain-

ment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and

place in container for disposal according to local / national regula-

tions (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.

Provide sufficient air exchange and/or exhaust in work rooms.

Conditions for safe storage : Keep container tightly closed.

To maintain product quality, do not store in heat or direct sunlight.

Keep in a dry, cool and well-ventilated place.

Recommended storage tempera-

ture

< 60 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex- posure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH
		REL	1,000 ppm 1,900 mg/m3	NIOSH/GUIDE
		PEL	1,000 ppm 1,900 mg/m3	OSHA_TRANS



SDS Number: 70190 Version 2.1 Revision Date: 09/15/19

	TWA	1,000 ppm 1,900 mg/m3	Z1A
	STEL	1,000 ppm	CAD ON OEL

Appropriate engineering controls

Personal protective equipment

Respiratory protection In the case of vapour formation use a respirator with an approved

filter.

Hand protection

Material Nitrile rubber Rate of permeability > 480 min

Eye protection Tightly fitting safety goggles

Face-shield

Choose body protection according to the amount and concentra-Skin and body protection

tion of the dangerous substance at the work place.

Rubber or plastic apron Rubber or plastic boots

Avoid contact with skin, eyes and clothing. Hygiene measures

Wash hands before breaks and immediately after handling the

product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid light yellow Color Odor alcohol-like Odor Threshold no data available

6.5 - 9, Concentration: 100 g/l (25 °C)

setting point -20 °C

no data available Boiling point/boiling range

Flash point 43 °C

Method: Setaflash Closed Tester (ASTM D3278), closed cup

Does not sustain combustion according to ASTM 4206

Evaporation rate : no data available Upper explosion limit : no data available : no data available Lower explosion limit Vapour pressure : no data available Relative vapour density : no data available Relative density no data available Density 0.93 g/cm3 (25 °C)

Solubility(ies)

Water solubility completely soluble Partition coefficient: n-octanol/wano data available

ter

Auto-ignition temperature no data available Decomposition temperature no data available

Viscosity

Viscosity, dynamic < 100 mPa.s (25 °C) Viscosity, kinematic no data available

SECTION 10. STABILITY AND REACTIVITY



BacStop™

Version 2.1 SDS Number: 70190 Revision Date: 09/15/19

Possibility of hazardous reactions : Stable under normal conditions.

Conditions to avoid : no data available Incompatible materials : Reducing agents

Strong oxidizing agents

Hazardous decomposition prod-

ucts

Nitrogen oxides (NOx) hydrochloric acid Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of ex-

posure

Inhalation Ingestion

Eyes Skin

Acute toxicity

Acute oral toxicity (LD50) : 450 mg/kg

Species: Rat

Acute dermal toxicity (LD50) : 4,300 mg/kg

Species: Rabbit

Skin corrosion/irritation

Skin irritation : Corrosive

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

GLP: yes

Serious eye damage/eye irritation

Eye irritation : severe irritant

Species: Rabbit

Respiratory or skin sensitization

Sensitization : Test Type: Buehler Test

Species: Guinea pig Result: not sensitizing

Germ cell mutagenicity

Genotoxicity in vitro : not mutagenic

Ames test, Salmonella

Germ cell mutagenicity- Assess-

ment

Carcinogenicity - Assessment

not mutagenic

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity



SDS Number: 70190 Version 2.1 Revision Date: 09/15/19

Toxicity to fish (LC50) Exposure time: 96 h

0.94 mg/l Toxicity to daphnia and other

aquatic invertebrates (EC50) Species: Daphnia magna (Water flea)

Exposure time: 48 h

Toxicity to terrestrial organisms : LC50: > 5,620.000 ppm

End point: Subacute toxicity

Persistence and degradability

no data available

Bioaccumulative potential

Remarks: no data available Bioaccumulation

Components:

Ethanol

Partition coefficient: n-octanol/wa-

ter

log Pow: -0.3

Mobility in soil

Distribution among environmental

compartments

Remarks: no data available

Other adverse effects

Results of PBT and vPvB assess-

ment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating

(vPvB).

Additional ecological information no data available

The following ecotoxicological data refer to:

Didecyldimethylammonium chloride (CAS-No.: 7173-51-5)

Ecotoxicity



BacStop™

Version 2.1 SDS Number: 70190 Revision Date: 09/15/19

Toxicity to fish (LC50) : 0.19 mg/l

Species: Pimephales promelas (fathead minnow)

Acute toxicity

Exposure time: 96 h Analytical monitoring: yes

Method: US-EPA

GLP: yes

Toxicity to fish (NOEC) 0.032 mg/l

Species: Danio rerio (zebra fish)

Chronic toxicity
Exposure time: 34 d
Analytical monitoring: yes

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (EC50)

: 0.062 mg/l

Species: Daphnia magna (Water flea)

Immobilization Exposure time: 48 h Analytical monitoring: yes Method: EPA-FIFRA

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (NOEC)

0.010 mg/l

Species: Daphnia magna (Water flea)

Reproduction Test Exposure time: 21 d Analytical monitoring: yes

Method: OECD Test Guideline 211

GLP: yes

Toxicity to algae (ErC50) : 0.026 mg/l

Species: Pseudokirchneriella subcapitata (green algae)

Growth inhibition Exposure time: 96 h Test Type: Growth inhibition Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic toxicity)
M-Factor (Chronic aquatic toxicity)

Toxicity to bacteria (EC50)

10

: 11 mg/l

Species: activated sludge Respiration inhibition Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes



SDS Number: 70190 Version 2.1 Revision Date: 09/15/19

Toxicity to soil dwelling organisms NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

GLP: yes

Plant toxicity EC50: 283 - 1,670 mg/kg

> Exposure time: 14 d End point: Growth inhibition

Method: OECD Test Guideline 208

Persistence and degradability

Biodegradability Test Type: Modified Sturm Test

Concentration: 10 mg/l

Result: Readily biodegradable

Biodegradation: 72 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Test Type: Die-Away Test Concentration: 0.016 mg/l Biodegradation: 93.3 % Exposure time: 28 d

GLP: yes

Test Type: OECD Confirmatory Test

Biodegradation: 91 % Exposure time: 24 - 70 d

Method: OECD Test Guideline 303 A

GLP: no

Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Stability in water Test Type: Abiotic degradation

Method: EPA-FIFRA

GLP: yes

Bioaccumulative potential

no data available

Mobility in soil

Distribution among environmental

compartments

Mobility in soil Method: US-EPA



SDS Number: 70190 Revision Date: 09/15/19 Version 2.1

Other adverse effects

no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Dispose of in accordance with local regulations.

Contact waste disposal services.

Contaminated packaging Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

IATA

UN number : 2920

Proper shipping name : Corrosive liquid, flammable, n.o.s.

(Didecyldimethylammonium chloride, Ethanol)

Transport hazard class : 8 Packing group : 11 Labels : 8 (3) **Environmental hazards** : no

IMDG

UN number : 2920

Proper shipping name : Corrosive liquid, flammable, n.o.s.

(Didecyldimethylammonium chloride, Ethanol)

Transport hazard class : 8 Packing group : 11 : 8 (3) Labels EmS Number 1 : F-E EmS Number 2 : S-C

Environmental hazards : Marine pollutant: yes

ADR

UN number 2920

Proper shipping name CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(Didecyldimethylammonium chloride, Ethanol)

Transport hazard class 8 Packing group : 11 Classification Code CF1 Hazard Identification Number 83 Labels 8 (3) **Environmental hazards** yes



SDS Number: 70190 Version 2.1 Revision Date: 09/15/19

RID

UN number 2920

CORROSIVE LIQUID, FLAMMABLE, N.O.S. Proper shipping name

(Didecyldimethylammonium chloride, Ethanol)

Transport hazard class 8 Packing group Ш CF1 Classification Code Hazard Identification Number 83 Labels 8 (3) **Environmental hazards** yes

DOT

UN number 1903

Proper shipping name Disinfectants, liquid, corrosive n.o.s.

(Didecyldimethylammonium chloride)

Transport hazard class 8 **Packing group** Ш Labels 8 Emergency Response Guidebook 153

Number

Environmental hazards : no

TDG

UN number 2920

Proper shipping name CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(Didecyldimethylammonium chloride, cont. Ethanol)

Transport hazard class 8 Ш Packing group Labels 8 (3) **Environmental hazards** no

Special precautions for user : none

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

: Not applicable

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word DANGER!



SDS Number: 70190 Version 2.1 Revision Date: 09/15/19

Hazard statements Causes substantial but temporary eye injury.

Harmful if absorbed through skin.

May be fatal if inhaled.

Corrosive. Causes skin burns.

Corrosive. Causes irreversible eye damage.

This pesticide is toxic to fish.

EPA No. 6836-51

E: Corrosive Material **WHMIS Classification**

B2: Flammable liquid

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards : Acute Health Hazard

Fire Hazard

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

Ethanol 64-17-5

Pennsylvania Right To Know

Ethanol 64-17-5

New Jersey Right To Know

Ethanol 64-17-5

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer. WARNING: This product contains a chemical known to the State of California to cause birth defects

or other reproductive harm.

Ethanol 64-17-5

The components of this product are reported in the following inventories:

: This product can only be used commercially in the EPA registered application(s) noted on the product label.

This product is regulated under the following section(s) of the Code of Federal Regulations (CFR) as an incidental food additive:

21 CFR 178.1010



SDS Number: 70190 Version 2.1 Revision Date: 09/15/19

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Revision Date : 09/15/15

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.